41	Alluvial land	LdB	Lakemont and Madalin silty clay loams, 2 to 6 percent slopes
рВ	Appleton channery silt loam, 2 to 8 percent slopes	LhB	
rC	Arnot flaggy silt loam, 0 to 15 percent slopes	LhC	Lansing channery silt loam, 2 to 10 percent slopes Lansing channery silt loam, 10 to 20 percent slopes
3	Barbour and Tioga fine sandy loams	LhC3	Lansing channery silf loam, 10 to 20 percent slopes eroded
ьВ	Barbour and Tioga gravelly loams, fans, 0 to 8 percent slopes	LmA	Lordstown channery silt loam, 0 to 5 percent slopes
1	Barbour and Tioga loams	LmC	Lordstown channery silt loam, 5 to 15 percent slopes
n n	Basher and Middlebury silt loams	LmD	Lordstown channery still loam, 15 to 25 percent slopes
-B	Burdett and Erie channery silt loams, 3 to 8 percent slopes	LmE	Lordstown channery silt loam, 25 to 35 percent slopes
rC	Burdett and Eric Channery silt loams, 8 to 15 percent slopes	LnB	Lordstown silt loam, 0 to 8 percent slopes
D D	Cattaraugus stony silt loam, 15 to 25 percent slopes	LoE	Lordstown and Oquaga very stony soils, 0 to 35 percent slopes
a E	Cattaraugus stony silt loam, 25 to 35 percent slopes	LrF	Lordstown, Oquaga and Nassau soils, 35 to 70 percent slopes
hA	Chippewa and Norwich stony sill loams, 0 to 3 percent slopes	LsB	Lyons silt loam, shallow, 0 to 8 percent slopes
nC	Chippewa and Norwich stony silt loams, 3 to 15 percent slopes	LyB	Lyons and Ilion very slony soils, 0 to 8 percent slopes
nC	Chippewa and Norwich very stony soils, 0 to 15 percent slopes	Ma	Madalin silt loam, over till
οВ	Conesus channery silt loam, 2 to 10 percent slopes	МсВ	Mardin channery silt loam, 2 to 8 percent slopes
оС	Conesus channery silt loam, 10 to 20 percent slopes	McC	Mardin channery silf loam, 8 to 15 percent slopes
ıВ	Culvers stony silt loam, 2 to 8 percent slopes	McC3	Mardin channery silt loam, 8 to 15 percent slopes, eroded
JC	Culvers stony silt loam, 8 to 15 percent slopes	McD	Mardin channery silt loam, 15 to 25 percent slopes
JD.	Culvers stony silt loam, 15 to 25 percent slopes	McE	Mardin channery silt loam, 25 to 35 percent slopes
зΒ	Darien channery silt loam, 2 to 8 percent slopes	MdF	Mardin and Cattaraugus soils, 35 to 70 percent slopes
ıC	Darien channery silt loam, 8 to 15 percent slopes	MeE	Mardin and Culvers very stony soils, 0 to 35 percent slopes
1C3	Darien channery silty clay loam, 8 to 15 percent slopes, eroded	MhC	Mohawk and Honeoye silt loams, 10 to 20 percent slopes
3B	Darien silt loam, gently undulating, 2 to 8 percent slopes	MhC3	Mohawk and Honeoye silt loams, 10 to 20 percent slopes, eroded
JC	Darien silt loam, undulating, 8 to 15 percent slopes	MhD	Mohawk and Honeoye silt loams, 20 to 30 percent slopes
d D	Darien silt loam, undulating, 15 to 25 percent slopes	MhE	Mohawk and Honeoye soils, 30 to 50 percent slopes
еΒ	Darien silt loam, 2 to 8 percent slopes	MkC	Mohawk and Lansing very stony silt loams, 3 to 20 percent slopes
eC	Darien silt loam, 8 to 15 percent slopes	MkD	Mohawk and Lansing very stony silt loams, 20 to 30 percent slopes
B3	Darien silty clay loam, 2 to 8 percent slopes, eroded	M1B	Mohawk and Lima silt loams, 2 to 10 percent slopes
C3	Darien silty clay loam, undulating, 8 to 15 percent slopes, eroded	M1B3	Mohawk and Lima silt loams, 2 to 10 percent slopes, eroded
В	Farmington very rocky silt loam, 0 to 10 percent slopes	МоВ	Morris stony silt loam, 2 to 8 percent slopes
F	Farmington very rocky silt loam, 10 to 70 percent slopes	MoC	Morris stony silt loam, 8 to 15 percent slopes
	Fredon and Halsey gravelly loams Holly and Papakating sill loams	Ms	Muck, slightly acid
В	Honeoye-Farmington complex, 2 to 10 percent slopes	Mu	Muck and Peat, strongly acid
C	Honeoye-Farmington complex, 2 to 10 percent slopes Honeoye-Farmington complex, 10 to 20 percent slopes	NaC	Nassau shaly silt loam, 2 to 15 percent slopes
A	Howard gravelly silt loam, 0 to 5 percent slopes	NaE NdB	Nassau shaly silt loam, 15 to 35 percent slopes
C	Howard gravelly silt loam, 5 to 15 percent slopes	NdC	Nunda channery silt loam, 3 to 10 percent slopes Nunda channery silt loam, 10 to 20 percent slopes
3	llion and Appleton silt loams, 3 to 8 percent slopes	NdC3	Nunda channery silt loam, 10 to 20 percent slopes
Å	Ilion and Lyons silt loams, 0 to 3 percent slopes	NdD	Nunda channery silt loam, 20 to 30 percent slopes
j	Ilion and Lyons silt loams, 3 to 15 percent slopes	NdD3	Nunda channery silt loam, 20 to 30 percent slopes, eroded
A	Lakemont and Madalin soils, deep, 0 to 2 percent slopes	N1B	Nunda and Langford channery silt loams, 3 to 8 percent slopes
	The state of the s	NIC	Nunda and Langford channery silt loams, 8 to 15 percent slopes
		N1C3	Nunda and Langford channery silt loams, 8 to 15 percent slopes, er
			and the percent stopes, er

Nunda and Landford channery sill loams, 15 to 25 percent slopes Odessa and Rinebeck silt loams, 0 to 2 percent slopes Odessa and Rinebeck silt loarns, 2 to 6 percent slopes OdB Odessa and Rinebeck silt loams, 6 to 12 percent slopes OrC3 Odessa and Rinebeck silty clay loams, 6 to 12 percent slopes, eroded Oquaga stony silt loarn 3 to 15 percent slopes Oquaga stony silt loam, 15 to 25 percent slopes 0sE Oquaga stony silt loam, 25 to 35 percent slopes Phelps gravelly silt loam, 0 to 5 percent slopes PhA Phelps gravelly silty loam, clay substratum, 2 to 8 percent slopes Red Hook gravelly silt loam ScA Scio silt loam, 0 to 3 percent slopes Schoharie and Hudson sill loams, 2 to 6 percent slopes Schoharie and Hudson silt loams, 6 to 12 percent slopes Schoharie and Hudson silty clay loams, 2 to 6 percent slopes, eroded Schoharie and Hudson silly clay loams, 6 to 12 percent slopes, eroded Schoharie and Hudson silly clay loams, 12 to 20 percent slopes, eroded SoE Schoharie soils, 20 to 40 percent slopes TaB Tuller and Allis silt loams, 0 to 8 percent slopes TaC Tuller and Allis silt loams, 8 to 15 percent slopes Tunkhannock and Chenango gravelly loams, fans, 0 to 5 percent slopes Tunkhannock and Chenango gravelly silt loams, fans, 5 to 15 percent slopes Tunkhannock and Chenango gravelly silt loams, 0 to 5 percent simple slopes Tunkhannock and Chenango gravelly silt loams, 5 to 15 percent simple slopes Tunkhannock and Chenango gravelly silt loams, 3 to 15 percent complex slopes Tunkhannock and Chenango gravelly silt loams, 15 to 25 percent slopes Tunkhannock and Chenango soils, non-stratified, 3 to 15 percent slopes Tunkhannock and Chenango soils, 25 to 60 percent slopes TnF TuA Tunkhannock cobbly sandy loam, 0 to 5 percent slopes Volusia channery silt loam, 0 to 3 percent slopes Volusia channery silt loam, 3 to 8 percent slopes Volusia channery silt loam, 8 to 15 percent slopes Volusia, Morris and Erie very stony soils, 0 to 15 percent slopes

VALK ONE MAIN STREET, COBLESKILL, NEW YORK PHONE NO. (518) 234-4028 FAX NO. (518) 234-LAMONT, VAN DE ENGINEERS, P.C.

N.T.S. 10/15/ DATE

SCHOHARIE TOWN AND VILLAGE MAPPING SCHOHARIE COUNTY NEW YORK SOIL MAP CLASSIFICATIONS

FILE NO. 96038.T16A.

PROJECT NO. 96038

DRAWING NO.

T-16A

UNAUTHOR ZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Soil Symbol

Soil Description

Wayland silt loam